PRECANCEL STAMP SOCIETY

P.S.S. Official Style Chart Of U.S. Contracted Precancel Devices



Prepared and Published by:

The P.S.S. Specifications Committeee

This document is in the Public Domain. Reference to it is freely available to all, but giving credit to the Precancel Stamp Society will be appreciated.

JANUARY 2007

Introduction To The P.S.S. Style Chart

The P.S.S. Official Style Chart is a system of classifying the precancelling overprints applied to United States stamps under authority of the U.S. Post Office with devices designed, authorized and manufactured for this purpose. For convenience, it is divided into sections, each representing a mechanical variation in the nature of precancelling devices:

Plates used at the Bureau during precancel manufacture	1-99
Special machines used for locally precancelling coils	101-199
Electroplates for use by local printer	201-299
Unused (reserved)	301-399
Rubber handstamps	401-699
Stereotype handstamps	701-799
Vinyl handstamps	801-999

In each section, styles are grouped in approximate chronological order of appearance.

Virtually all U.S. precancel devices are multiple-subject, with the legend (town and state) so sized and spaced to fit once horizontally on each stamp in a sheet of regular-issue (definitive) U.S. postage stamps. Except for a few handstamps in the early years and some electroplates designed for vertical application (or horizontal application on stamps that are wider than they are tall), the customary 21.5 mm width of definitive stamps has limited the length of the legend. Consequently, towns with few letters in their names could be set in wider letters than towns with many letters in their names. At any period in precancel history, the usual practice was to use wider (sometimes spaced) letters for towns with short names, and more condensed (or lower-case) letters for towns with long names. Thus "families" of styles evolved for each contractual period. Although such families of styles can be discerned by the precancel student, they have been subordinated to other considerations in the P.S.S. classification system.

In describing individual styles, a few simplifications have been adopted to save space. "Caps" refers to capital letters and "lower-case" refers to small letters but implies the use of caps for the initial letter of each word. "Face" refers to the width of the strokes of the letters, as in "bold-face". Letters with strokes of varying width are called "shaded". Successively narrower lettering fonts are referred to as "condensed", "extra-condensed" and "ultra-condensed". Dimensions in millimeters (mm) are approximate except when close measurement will help to differentiate styles.

BUREAU PLATES: Other than the first three experimental styles, Bureau precancels were made by inserting a precancelling plate in the sequence of stamp manufacture at the Bureau of Engraving and Printing. Although some of the later styles represent either metal or rubber devices, they are not herein distinguished. All Bureau styles show continuous lines across horizontal subjects.

COIL MACHINES: Because coil stamps are convenient for use in stamp affixing machines, and local devices designed for precancelling stamps in sheets are not efficient for coils, special devices were ordered for this purpose. Early styles read horizontally across the normal horizontal coils, and later styles show a "ladder" arrangement usually reading vertically. In both cases, the subjects were arranged around a wheel, and the coil of stamps was drawn past this wheel. Any difference (slippage) between the rate of travel of the stamps through the machine and the rate of rotation of the precancelling wheel led to examples showing the imprint wider or narrower than it actually occurred on the device. Earlier devices had rubber surfaces; later ones had metal surfaces.

ELECTROPLATES: Usually consisting of 100 subjects to cover the standard post office pane of stamps of definitive size, electroplates have been issued from Washington since 1913. Except for Styles 209 and 210, the first 31 styles show bars that are discontinuous between horizontal subjects. All of the more recent styles show continuous lines. By 1980, electroplates were no longer being issued.

RUBBER HANDSTAMPS: Also designed for precancelling definitive stamps in post office panes of 100, rubber handstamps also began to be issued from Washington in 1913. During the earliest years, such devices were designed to read vertically on definitives. Styles 401-424 were of various configurations and carried lines, rather than bars. Beginning in 1916, rubber handstamps were re-designed to precancel the stamps in the horizontal position.

Although some styles having bars appeared during World War I, lines continued to dominate until late in 1921 and from mid-1926 to mid-1930. During the intervening periods, bars were the rule until rubber handstamps were discontinued in mid-1932. After the initial period, rubber handstamps had a standard 25 subjects (5 by 5) configuration. Punctuation practices in making precancel devices were somewhat random in the early days, but became more standardized in later years. Styles 501-553 have a period after the state abbreviation and come with or without a comma after town name. Styles 556 to 581 generally show no punctuation. Styles 601-635 have a period after the state abbreviation, but usually have no comma after the town name.

STEREOTYPE HANDSTAMPS: Rapid degradation of the rubber handstamps was an ongoing concern of the postal authorities. In mid-1932 stereotype metal handstamps were introduced as a solution for this problem and were issued for about 25 years. However, some early examples of the 25 subject devices failed to give good impressions, so the size was reduced to 10 subjects (2 by 5), making the devices easier to handle. When the "dating" order went into effect in 1938, the customary space between lines was narrowed from 12.5 to 8 mm to allow more room for dating on each stamp. However, even after this date, a few towns with very long names needing three lines of type were supplied with devices having wider spacing between lines (Styles 706 and 707). In the last years of the stereotype handstamps, some devices had "hair-lines" above and below the legend.

VINYL HANDSTAMPS: Continuing problems with the stereotype handstamps and the development of synthetic vinyl substitutes for rubber, led to the advent of vinyl handstamps at the start of the fiscal year beginning July 1, 1958. New families of vinyl styles were introduced with changes in both the contractor making them and in the government specifications. All are 10 subjects, 2 by 5. Beginning with Style 827, all vinyl styles show 2-letter state abbreviation without period.

Bureau Plates

AUGUSTA MAINE	NEW ORLEANS LA.	SPRINGFIELD Mass.		
31	32	33	•	
PERU IND.	LANSING MICHL	SAINT LOUIS MO.	New Orleans La.	Sen Francisco Cabf.
41	42	43	44	45
PCRTLAND ME.	Scheneetady N. Y.			
51	52			
LAKEWOOD N. J.	LABT SAINT LOUIS, ILL.	KANSAS City Mo.		
61	62	63	•	
POUCHKEEPSIE N. Y.	LONG ISLAND CITY, N.Y.	CORPUS CHRISTI TEXAS	ATLANTA GEORGIA	ATLANTA SA.
71	72	73	75	76
PEORIA	FORT LAUDER- DALE, FL	FALLS CHURCH VA	CINS:HNATI DH	
81	82	83	85	
YUBA CITY CA	n prt Richey FL	•		
86	87	•		
		,		

Style Descriptions

As the type faces are highly standardized, dimensions are approximate. However, vertical spacings vary, especially on Style 63 and between plates made for sheet stamps and coils. Fine changes in manufacturing techniques, discernible by the student, are not taken into account.

- 31 Gothic caps 3 mm high between lines 16 mm apart.
- 32 Like 31, but arranged in three lines.
- 33 Like 31, but letters more condensed.
- 41 Like 42, but wider letters.
- 42 Serifed caps 3 mm high between lines 12 to 13 mm apart.
- 43 Like 42, but narrower letters.
- 44 Like 42, but lower-case letters.
- 45 Like 42, but lower-case narrower letters.
- 51 Block caps. 2.7 mm high between lines 13 mm apart.
- 52 Like 51, but lower-case letters.
- 61 Gothic caps 2 mm high between lines 13 mm apart.
- 62 Like 61, but town carried over onto second line.
- 63 Like 61, but arranged in three lines.

71 Gothic caps 2 mm high between lines 10.5 mm apart.

- 72 Like 71, but town carried over onto second line.
- 73 Like 71, but arranged in three lines.
- 75 Like 71, but lines 9.5 mm apart; state name spelled out.
- 76 Like 71, but lines 8.5 mm apart.
- 81 Gothic caps 2 mm high between lines 10.5 mm apart; 2-letter state abbreviation without period.
- 82 Like 81, but town carried over onto second line.
- 83 Like 81, but 0.7 mm between town and state.
- Like 81, but lines 8.5 mm apart.
- 86 Linofilm caps, 2 mm between town and state.
- 87 Like 86, but 1 mm between town and state.

-3-

City Type Coils

CHICAGO ILLS. 101	st.louis Mo. 111	PHILADELPHIA PA. 112	ST.LOUIS MO. 116	CINCINNATI OHIO 117
TRENTON N.J. 121	SACRAMENTO CALIF. 122	CEDAR RAPIDS IOWA 123		
SPENCER IND. 131	CEDAR RAPIDS IOWA 132	ROCKFORD ILL 136		
DETROIT MICH. DETROIT MICH.	BUFFALO N. Y. BUFFALO N. Y.	DALLAS, TEXAS DALLAS.	OHIO CINCINNATI OHIO	CINCINIATI MICH. DETROIT MICH. DETROIT
141	143	145	151	152
CINCINNATI 0HI0 CINCINNATI 0HI0	PEORIA ILL. PEORIA ILL.	MD. BALTIMORE MD. BALTIMORE		MIKNEAPOLIS MINN. MINN. MINN.
153	161	162	163	164
PEORIA 1LL. PEORIA			SE IF	CALIF.
171	172	173	181	183

Style Descriptions

- 101 Serifed caps 3 mm high between bars 13.5 mm apart.
- 111 Block caps 2.5 mm high between bars 13.5 mm apart.
- 112 Like 111, but town in condensed letters.
- 116 Like 111, but letters 3 mm high.
- 117 Like 111, but narrower 3 mm high letters.
- Bold block caps 3 mm high between heavy bars 12 to 13 mm apart;3.5 mm between town and state.
- 122 Like 121, but town in condensed letters.
- 123 Like 121, but arranged in three lines.
- 131 Lighter faced block caps 3 mm high between heavy bars 12 to 13 mm apart; 2 mm between town and state.
- 132 Like 131, but square letters in three lines.
- 136 Slightly spaced narrow caps 2.5 mm high between bars 13 mm apart.
- 141 Serifed caps 2.2 mm high in repeating "ladder" arrangement common to all following coil styles.
- 143 Like 141, but letters bolder and wider.
- 145 Wide 3 mm serifed caps with comma.
- 151 Like 152, but narrower letters.
- 152 Serifed caps 3 mm high; two words 7 mm high.
- 153 Like 152, but wider letters: height of two words 6 mm
- 161 Like 162, but wider letters.
- 162 Block caps 3 mm high: two words 7 mm high.
- 163 Like 162, but town in narrower letters.
- 164 Like 162, but narrower letters.
- 171 Like 162, but bolder, wider and squarer letters.
- 172 Like 162, but bolder and squarer letters.
- 173 Like 162, but bolder and squarer letters; town carried over onto second line.
- 181 Like 162, but letters larger and lighter faced; two words 7.5 mm high.

-6-

183 Like 162, but taller letters; two words 8 mm high.

-5-

Electroplates

GUINCY Illinois	PEORIA ILL	COLORADO Springs Colo	MOLINE Illinois	HAMPTON Va
201	202	202.5	203	204
Charlottesville Va	SOUTHBRIDGE Mass	WILLIAMSPORT PA	PROVIDENCE Rhode Island	FITCHBURG Mass.
204.5	205	206	207	208
GREENFIELD MASS.	New Brunswick N. J.	HOBOKEN N. J.	LANCASTER PA.	NOATH CHICAG
209	210	211	212	213
YANKTON South Dakota	East Pittsburgh Pa.	BALTIMORE MD.	KEARNEY NBBRASKA	LEMONT, TLL.
215	216	217	218	219
ount Clemens Nich.	COLUMBIA Wo.	HOLTON KANSAS	ATASCADERO CALIF.	ORANGE MASS.
220	222	224	224.5	225
SAINT JOSEPH MO.	SALISBURY North Caroline	Piezsant Hill MO.	LaPorte IND.	Waterbury Conn.

Fergus Falls

Minn.

231

Style Descriptions

201	Bold-faced block caps 2.3 mm high
000	between 1 mm bars 9.8 mm apart.
202	Bold-faced block caps 2.7 mm high
000 F	between 1 mm bars 12.5 mm apart.
202.5	Like 232, but arranged in three lines between bars 13 mm apart.
203	Bold-faced block caps 4 mm high
	between 1 mm bars 12.5 mm apart.
204	Like 203, but 3.5 to 4 mm high narrower and lighter faced letters.
204.5	Like 203, but taller more condensed lower-case letters.
205	Block caps 3 mm high between 1 mm bars 12.5 mm apart.
206	Like 205, but letters more condensed.
207	Like 205, but arranged in three lines.
208	Like 203, but lighter-faced caps 3.8 mm high;
000	0.8 mm bars 11 mm apart.
209	Block caps 2 mm high between 0.8 mm lines 12.5 mm apart.
210	Like 209, but lower-case.
211	Block caps 3.8 mm high between 1.5 mm bars 10.5 mm apart.
212	Block caps 3 mm high between 1 to 1.5 mm bars, 9 to 12 mm apart.
213	Condensed block caps 2.7 mm high
	between 1.3 mm bars 10.5 mm apart.
215	Like 212, but state lower-case.
216	Like 212, but town and state lower-case.
217	Turius caps (slanted horizontal strokes on some letters)
	3.8 mm high between 0.8 mm bars 12.5 mm apart.
218	Town like 217; state like 219.
219	Sharply serifed caps 3 to 3.2 mm high
	between bars 12.5 to 13 mm apart.
220	Like 219, but lower-case.
222	Like 219, but state lower-case.
224	Like 225, but town in spaced letters.
224.5	Like 225, but state in spaced letters.
225	Bluntly serifed caps 3 mm high between 0.8 mm bars 12 mm apart.
226	Like 225, but arranged in three lines; bars 13 mm apart.
227	Like 225, but state lower-case.
228	Like 225, but town lower-case.
229	Like 225, but town in spaced lower-case letters.
230	Like 225, but town and state lower-case.
231	Like 225, but town and state lower-case; state in spaced letters.
Note 1:	Except where specified otherwise, the state may be spelled out or

- abbreviated, and punctuation is optional.
- Note 2: These styles are all in 100 subject configuration.
- Note 3: Styles 201 to 231 are metal devices and are not generally subject to age degradation as are the rubber devices. However, dimensional variation due to the strength of the impression and the inking quality may occur.

Electroplates

DULUTH MINN.	STAMFORD Conn.	MILWAUKEE WIS.	SOUTH BEND IND.	MANHATTAN, KANS.
232	233	234	235	236
LONG ISLAND City N. Y.	LOS ANGELES CALIF.	SPRINGFIELD ONIC	CULVER CITY GALIF.	HUNTINGTON PARK CALIF.
236.5	237	238	239	240
ELGIN	DALLAS	STAMFORD	PITTSBURGH	NEWARK
ILL.	TEXAS	CONN.	PA.	N. J.
241	242	243	244	245
SOUTH SUDBURY	REDWOOD CITY	HUNTINGTON	SAN BERNARDINO	NEW
MASS.	CALIF.	W. VA.	CALIF	CONN.
246	247	248	249	250
WASHINGTON D. C.	WASHINGTON D. C.			
251	252			
EASTON	CEDAK			
PA.	RAPIDS IOWA			
253	254			

Style Descriptions

- Block caps 2.5 mm high between 1.1 mm lines 12 to 13.5 mm apart.
- Like 232, but lines 11.5 mm apart.
- 234 Like 232, but subjects spaced to fit stamps with longer dimension horizontal; lines 12.5 mm apart.
- Like 232, but arranged in three lines; lines 14 to 17 mm apart.
- Block caps 2 mm high between 1 mm lines 10 to 12 mm apart.
- 236.5 Like 236, but arranged in three lines; lines 15 mm apart.
- 237 Caps 1.8 mm high between 1 mm lines 12 mm apart.
- 238 Caps 1.6 mm high between 1 mm lines 10 mm apart.
- 239 Condensed block caps 3 mm high between 1 mm lines 12 mm apart.
- Like 239, but arranged in three lines; lines 13.5 mm apart.
- 241 Wide serifed caps 2.5 mm high between double lines 14 mm apart.
- 242 Like 241, but subjects spaced to fit stamps with longer dimension horizontal; lines 10 mm apart.
- 243 Caps 2 mm high between double lines 14 mm apart.
- 244 Like 243, but spaced to fit stamps with longer dimension horizontal;
- 245 Like 243, but spaced to fit stamps with longer dimension horizontal; lines10 mm apart.
- 246 Like 243 but arranged in three lines.
- 247 Caps 1.6 mm high between double lines 14 mm apart.
- 248 Like 247, but spaced to fit stamps with longer dimension horizontal; lines10 mm apart.
- 249 Like 247, but arranged in three lines.
- 250 Block caps 2.5 mm high in three lines between double lines 14.5 mm apart.
- 251 Condensed block caps 2.5 mm high between double lines 14 mm apart; town and state 1.6 mm apart.
- 252 Like 251 but town and state 1 mm apart.
- 253 Wide serifed caps 2.5 mm high between 0.8 mm lines 12 to 15 mm apart.
- Like 253, but arranged in three lines.
- Note 1: Except where specified otherwise, the state may be spelled out or abbreviated, and punctuation is optional.

Note 2: These styles are all in 100 subject configuration.

Note 3: Styles 232 to 254 are metal devices and are not generally subject to age degradation as are the rubber devices. However, dimensional variation due to the strength of the impression and the inking quality may occur.

-9-

-10-

Electroplates


			_	
WICHITA KANS.	MILFORD DEL.	WORCESTER Mass.	BLACK RIVER Fails. Wis.	NEW HAYEN Conn.
255	256	257	258	259
SHAWNEE Mission, kans.	FRESNO CALIF.	CENTRALIA Illinois	EXCELSION Springs, Mo.	HICKORY, NORTH CAROLINA
260	261	263	264	266
BALTIM	ORE, MD	OCALA FLA.	COFFEYVILLE KANS.	FORT LAUDER- Dale, florida
20	58	271	272	274
HOT SPRINGS National Park Arkansas	STOCKTON CA	KANSAS City, Mo	WARREN, OH	GARLAND, TX 75040
275	276	277	278	278.5
AMITYVILLE Ny	THIEF RIVER FALLS, MN	SAINT PAUL, MN	WHITTIER CA	WEST SPRINGFIELD, MA
279	280	281	282	283

South Francisco

284

- Style Descriptions
- 255 Block caps 2.5 mm high between 0.8 mm lines 12.5 mm apart; town and state 1.6 mm apart. 256 Like 255, but town and state 1 mm apart. 257 Condensed block caps 2.5 mm high between 0.8 mm lines 12.5 mm apart: town and state 1.6 mm apart. 258 Like 257 but town carried over onto second line. 259 Like 257 but town and state 1 mm apart. 260 Like 257, but town carried over onto second line; 1 mm between lines of print. 261 Letters like 255 between 0.5 mm lines 8 mm apart; town and state 1 mm apart. 263 Condensed block caps 2.5 mm high between 0.5 mm lines 8 mm apart; town and state 1 mm apart. 264 Line 263, but town carried over onto second line. 266 Like 263, but state on two lines. Letters like 263, but in one line between hair-lines 4.5 mm apart; 268 spaced to fit the 1969 Christmas stamp. 271 Like 272, but block caps. 272 Condensed block caps 2.5 mm high between 0.5 mm lines 13.5 mm apart; town and state 1 mm apart. 274 Like 272, but town carried over onto second line. 275 Like 272, but arranged in three lines. 276 Block caps 2.5 mm high between 0.8 mm lines 12 to 13 mm apart; town and state 1 mm apart; two-letter state abbrev without period. 277 Like 276, but town carried over onto second line. 278 Like 276, but comma after town. 278.5 Like 276, but comma after town; with ZIP code. 279 Like 276, but condensed caps. 280 Like 276, but condensed caps; town carried over onto second line. 281 Like 276, but condensed caps; comma after town. 282 Like 276, but town in condensed caps. 283 Light-faced block caps 2 mm high between 0.8 mm lines 12.7 mm apart; town carried over onto second line. 284 Serifed lower-case letters 1.8 mm high; arranged in three lines between 1 mm lines 12.5 mm apart. Note 1: Except where specified otherwise, the state may be spelled out or abbreviated, and punctuation is optional. Note 2: These styles are all in 100 subject configuration, except 268, which is 50
 - subject. Note 3: Styles 255 to 284 are metal devices and are not generally subject to age degradation as are the rubber devices. However, dimensional variation due to the strength of the impression and the inking quality may occur.

-12-



- 401 Light-faced extended block caps 4.5 mm high between 0.5 mm lines 16 mm apart. 402 Light-faced block caps 5 mm high between 0.5 mm lines 16 mm apart. 403 Like 402, but state lower case. 404 Like 402, but town lower-case. 405 Like 402, but town and state lower-case. 406 Light-faced condensed block caps 4 mm high between 0.5 mm lines 16 mm apart; town lower case. 406.5 Town like 406; state like 411, but lower-case. 407 Like 406, but state lower-case. 408 Like 402, but 4 mm letters arranged in three lines. 409 Like 402, but 4 mm letters arranged in three lines; middle line in lower-case letters. 410 Like 402, but town and state lower-case: shaded and extended letters with slight serifs. 411 Light-faced serifed caps 5 mm high between 0.5 mm lines 16 mm apart. 412 Town like 411; state like 402. 413 Like 411, but town lower-case. 413.5 Like 411, but state lower-case. 414 Town like 411, but lower-case; state like 402. Town like 411, but town and state lower-case; state like 402 414.5 415 Like 411, but town and state lower-case. 416 Block caps 4 mm high between 0.5 mm lines 12 to 14 mm apart. 417 Like 416, but state lower-case. 417.5 Like 416, but spaced letters in town name. 418 Like 416, but town in spaced letters and state lower-case. 419 Like 416, but town and state lower-case. 420 Like 416, but town lower-case. 421 Like 416, but town and state lower-case; town carried over onto second line. 422 Like 423, but state in caps. 423 Light-faced condensed serifed lower-case letters 3.5 mm high between 0.5 mm lines 12.5 mm apart. 424 Like 423, but town and state in caps arranged in three lines between lines 17 mm apart. Note 1: These are rubber handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate
- and some variation is to be expected. Note 2: All of the above handstamps have subjects sized and spaced to fit vertically on definitive stamps.
- Note 3: These styles are in various configurations.

-14-

Rubber Handstamps With Lines

Ruthertund	OTTAWA	Clarinda	LEON	Artesia
N. J.	KANS.	lowa	KANS.	Calif.
452	453	454	455	455.5
Dubuque	Youngstown	PALMYRA	Stockton	Galesburg
IOWA.	OHIO.	N. Y.	CALIF.	Mich.
456	456.5	457	458	459
Ottawa	TIPTON	Saint Cloud	Grand Junction	Saginaw West
KANS.	IND.	MINN.	Colo.	Side, Mich.
460	461	462	463	463.5
EXCELSIOR SPRINGS MO.	New Washington OH10	HILLSBORO	DICKINSON N. DAK.	PALISADES Park, N. J.
464	465	466	466.5	467
LAORANOE GA.	LEBANON TENN.	STURGEON BAY Wis.	NEW RICHMOND WIS.	PERTH AMBOY N. J.
468	468.5	469	470	471
Mineral Walks TEX.	WEEPING Water, Nebr.	Dickerson Run Pa.	Mount Pleasant Tex.	Het Springs Na tional Park,Ark.
471.5	472	473	473.5	474

WERNERSVILLE

PA,

475

			Style Descriptions
	,		452 Condensed block caps and lower-case 3 mm high letters between lines 14 to 15 mm apart.
			453 Block caps 2 mm high between lines 11 to 13 mm apart.
1)	:(454 Like 453, but lower-case.
1	,	Ĵ	455 Block caps 4 mm high between lines 12 mm apart.
			455.5 Like 455, but lower-case.
			456 Like 455, but town lower-case.
			456.5 Town like 461, but lower case; state like 455.
			457 Block caps 3 mm high between lines 12 mm apart.
			458 Like 457, but town lower-case.
			459 Like 457, but lower-case.
			460 Like 457, but town lower-case; state like 461.
	1		461 Block caps 2.5 mm high between lines 12 mm apart.
			462 Like 461, but town lower-case.
			463 Like 461, but lower-case.
			463.5 Like 461, but lower-case; town carried over onto second line.
			464 Like 461, but arranged in three lines.
			465 Like 461, but arranged in three lines; town lower-case.
			466 Condensed block caps 3.8 mm high between lines 12 mm apart.
/		1	466.5 Town like 466; state like 471.
((467 Like 466, but town carried over onto second line. 468 Town like 466; state like 455.
`		`	•
			468.5 Town like 455; state like 466.469 Like 466, but letters extra-condensed.
			470 Town like 466, but letters extra-condensed; state like 471.
			471 Condensed block caps 3 mm high between lines 12 mm apart.
			471.5 Like 471, but town lower-case.
			472 Like 471, but town carried over onto second line.
			473 Like 471, but lower-case.
			473.5 Town like 471; state like 482; town and state lower-case.
			474 Like 471, but lower-case; town carried over onto second line.
			475 Like 471, but letters 2.6 mm high.
			Note 1: These are rubber handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.
	1		Note 2: These styles generally have a period after the state but a comma
7		1	after the town is optional.
			Note 3: These styles are in 25 subject (5 X 5) configuration.

-16-

		-		
PICO	DERBY	CUERO	ZION	GENEVA
CALIF	CONN.	TEX.	ILL.	ILL.
476	477	477.5	478	479
PAGE N. DAK.	NOONAN H. DAK.	CARDONDALE ILL.	MADISON HEIGHTS, VA.	NOURT HOPE W. VA.
480	481	482	483	484
Saint Charles ILL.	Calumet City Ill.	New Washing- ton, Obio.	White Sulphur Springs, W. Ya.	West DePere WIS.
485	486	487	487.5	488
URSA ILL.	COLTON CALIF.	MOTT N. DAK.	HURON S. DAK.	PALERMO N. DAK.
489	490	491	491.5	492
MAHANOY CITY, PA.	ALLIANCE OHIO.	RICHMOND VA.	ROSEAU MINN,	
492.5	493	494	495	

- 476 Like 477, but spaced letters in town name.
- 477 Sharply serifed wide caps 3.5 mm high between lines 13 mm apart.
- 477.5 Town like 477; state like 479.
- 478 Like 479, but spaced letters in town name.
- 479 Sharply serifed spaced caps 3.2 mm high between lines 12 mm apart.
- 480 Town like 477; state like 482.
- 481 Town like 479; state like 482.
- 482 Sharply serifed and shaded condensed caps 3.2 mm high between lines 12 mm apart.
- 483 Like 482, but town carried over onto second line.
- 484 Town like 482; state like 471.
- 485 Like 482, but town lower-case.
- 486 Like 482, but lower-case.
- 487 Like 482, but lower-case; town carried over onto second line.
- 487.5 Like 482, but smaller letters and lower-case; town carried over onto second line.
- 488 Town like 482, but lower-case; state like 466, but letters extra-condensed.
- 489 Like 490, but spaced letters in town name.
- 490 Bluntly serifed wide caps 3 mm high between lines 12.5 mm apart.
- 491 Like 490, but town in spaced letters; state letters more condensed.
- 491.5 Like 490, but state letters more condensed.
- 492 Like 490, but letters more condensed.
- 492.5 Like 492, but town carried over onto second line.
- 493 Highly shaded serifed caps 3 mm high between lines 12 mm apart; slanting vertical strokes on some letters.
- 494 Town like 493, state like 479.
- 495 Town like 479; state like 493.
- Note 1: These are rubber handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.
- Note 2: These styles generally have a period after the state but a comma after the town is optional.

Note 3: These styles are in 25 subject (5 X 5) configuration.

RIPON, WIS.	ITHACA, N. Y.	GALESBURG, ILL.	Saint Neinrad INDIANA.	Wailuku, Mazi Hawaii.
501	502	503	504	505
TROY, PA.	VALE, OREG.	WAYNE, PA.	Moorhead, Minn.	WINDOM MINN.
507	508	509	510	511
CROSBY MINN.	VAN BUREN Ark.	FALLS CITY NEBR.	SOUTH MANCHESTER CONN.	TITUSVILLE PA.
511.5	512	513	515	516
CONNERSVILLE IND.	Saint Columbans NEBR.	SPRING VALLEY ILL.	WHITE RUER JCI. VI.	ALTON ILL.
517	517.5	518	519	521
WACO TEX.	T I R O OHIO	GASTON IND.	Marietta GA.	IONIA, Mich.
521.3	521.5	522	523	524
Honolulu Hawali.	PARADISE PA.	GRINNFIL IOWA.	Magnolia, ILL.	Wakefield Mass.
525	526	527	528	529

(

PURCELL

OKLA

530

	Style Descriptions
501	Slightly serifed extended caps 3.2 mm high between 1.3 mm bars 11 mm apart.
502	Highly serifed 3.4 mm caps between 1.3 mm bars 10 mm apart.
503	Serifed condensed 3 mm caps
	between 1 mm bars 10 to 11 mm apart.
504	Like 503, but town lower-case.
505.	Like 503, but lower-case.
507	Spaced block caps 3 mm high between 1 mm bars 11 mm apart.
508	Town like 507; state like 511.
509	Block caps 2.5 mm high between 1 mm bars 11 mm apart.
510	Like 509, but lower-case.
511	Light-faced squarish caps 3 mm high
	between 1 mm bars 10 mm apart.
511.5	Like 511, but town and state first letter 3.8 mm high.
512	Town like 513; state like 511.
513	Condensed 3 mm caps between 1 mm bars 10 to 11mm apart.
515	Like 513, but arranged in three lines.
516	Town like 513; state like 522.
517	Condensed 2.5 mm caps between 1 mm bars 11 mm apart.
517.5	
518	Extra-condensed 3 mm caps between 1 mm bars 10 mm apart.
519	Ultra-condensed 3 mm caps between 1 mm bars 10 mm apart.
521	Slightly serifed extended caps 3 mm high
	between 1 mm bars 10 to 11 mm apart.
521.3	•
521.5	
522	Slightly serifed caps 3 mm high
	between 1 mm bars 10 to 11 mm apart.
523	Like 522, but town lower-case.
524	Like 522, but state lower-case.
525	Like 522, but lower-case.
526	Sharply serifed light-faced caps 2.5 mm high
	between 1 mm bars 11 mm apart.
527	Like 526, but letters condensed.
528	Like 526, but town lower-case.
529	Like 526, but lower-case.
530	Town like 526; state like 531.

- Note 1: These are rubber handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.
- Note 2: These styles generally have a period after the state but a comma after the town is optional.
- Note 3: These styles are in 25 subject (5 X 5) configuration.

		- and the second se		
DUNDEE	PUNXSUTAWNEY PA.	Cynthiana KY.	Scottsbiuff Nebr.	New Rechelle N. Y.
531	531.5	532	533	534
Tippecanoe City OHIO,	White Beer Lake Mins.	NEWARK, N. Y.	HYANNIS MASS.	ALDER BON , W. VA.
535	536	537	537.5	538
Embreeville PA.	McMinnville TENN.	North Attlobore, Mass.	Great Barrington Mass.	Upper Sandusky Ohio
539	539.5	540	541	542
FRANKLIN, PA.	Pottstown, Pa.	Charles City Iowa	PEKIN	PAONIA COLO.
543	544	545	546	547
AUBURN N. Y.	OIL CITY Pa.	STERLING ILL.		
547.5	548	549		
FORT SCOTT, KANS.	Granite City ILL.	Millers Falls Mass.		
551	552	553		

531	Slightly spaced wide block caps 2.5 mm high
504 F	between 1 mm bars 10 to 11 mm apart.
531.5	Town like 517; state like 531.
532 533	Like 531, but town lower-case and letters not spaced. Like 531, but lower-case and letters not spaced.
533 534	Like 531, but lower-case and letters not spaced.
535	Like 531, but town lower-case; letters extra-condensed.
535 536	Like 531, but lower-case; letters extra-condensed.
530 537	Slightly spaced 3 mm light-faced block caps
537	between 1 mm bars 11 mm apart.
537.5	Town like 547; state like 537.
537.5 538	Block caps 2.8 mm high between 1 mm bars 10 mm apart.
536 539	Like 537, but town lower-case and not spaced.
539.5	Like 537, but town lower-case and not spaced.
539.5 540	Extra-condensed 3.8 mm lower-case letters
040	between 1 mm bars 10 mm apart.
541	Extra-condensed 3 mm lower-case letters
041	between 1 mm bars 10 mm apart.
542	Like 541, but bars 9 mm apart.
543	Shaded serifed caps 3 mm high between 1 mm bars 10.5 mm apart.
544	Like 543, but lower-case.
545	Like 543, but lower-case more condensed letters.
546	Like 547, but letters wider.
547	Block caps 3.8 mm high between 1 mm bars 10 mm apart.
547.5	Like 547, but town letters condensed.
548	Like 547, but letters condensed.
549	Like 547, but letters extra-condensed.
551	Sharply serifed condensed caps 3.8 mm high
	between 1 mm bars 10 to 11 mm apart.
552	Like 551, but town lower-case.
553	Like 551, but lower-case.
Note 1	: These are rubber handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.

Note 2: These styles generally have a period after the state but a comma after the town is optional.

Note 3: These styles are in 25 subject (5 X 5) configuration.

() (

NT NT
NT 9.5
TON
14
3
ELD
IN
7
•
BÉL
BÉL
1
IN 1 ISTLE
1
IN 1 ISTLE
IN 1 ISTLE
IN 1 ISTLE 5
IN 1 ISTLE 5 t Paul
IN 1 ISTLE 5
IN 1 ISTLE 5 t Paul
IN 1 ISTLE 5 t Paul I.
IN 1 ISTLE 5 t Paul I.
IN 1 ISTLE 5 t Paul I.
IN 1 ISTLE 5 t Paul I.

Style Descriptions

556	Wide bold-faced caps 3 mm high
	between 1.5 mm bars 10 to 11 mm apart.
557	Town like 556; state like 567.
557.5	Like 558, but spaced letters in town name.
558	Wide block caps 3 mm high between 1.5 mm bars 11 mm apart.
558.5	Town like 558; state like 563.
559	Highly shaded block caps 3 mm high
	between 1.5 mm bars 11 mm apart.
560	Like 559, but state has wider letters with blunt serifs.
561	Like 559, but wider letters with blunt serifs.
562	Like 563, but spaced letters in town.
563	Block caps 3.2 mm high between 1.5 mm bars 11 mm apart.
563.5	Town like 563; state like 558.
564	Town like 563; state like 567.
565	Town like 567; state like 563.
566	Town like 567; state like 563 with spaced letters.
567	Condensed 3 mm block caps between 1.5 mm bars 11 mm apart.
568	Town like 563; state like 567 with extra-condensed letters.
569	Town like 567, but extra-condensed letters; state like 563.
570	Town like 556; state like 572, but letters more condensed.
570.5	Town like 556, but spaced; state like 563.
571	Town like 563, but with spaced letters; state like 567,
	but extra-condensed letters.
572	Light-faced block caps 3 mm high betw 1.5 mm bars 11 mm apart.
572.5	Like 572, arranged in three lines
573	Like 572, but letters condensed.
574	Like 572, but letters condensed; spaced letters in town name.
575	Like 572, but letters condensed; spaced letters in state name.
576	Like 572, but town with condensed letters;
	state with extra-condensed letters.
577	Like 572, but letters extra-condensed.
577.5	Like 572, but letters extra-condensed; spaced letters in town name
578	Like 572, but letters extra-condensed; town lower-case.
579	Like 572, but extra-condensed lower-case letters.
580	Like 572, but letters extra-condensed; arranged in three lines
000	between bars 15 mm apart.
581	Like 572, but letters extra-condensed; arranged in three lines
001	between bars 11 mm apart.
Note 1	: These are rubber handstamps and are subject to variation due to
	application pressure and age. Dimensions stated are approximate
	and some variation is to be available

and some variation is to be expected. Note 2: These styles are generally without any punctuation.

Note 3: These styles are in 25 subject (5 X 5) configuration.

T R O Y	HOMER N.Y.	I D A MICH.	MINTO N. DAK.	SOUTH HAVEN MICH
601	602	603	604	605
SOUTH ANDOY N. J.	NEW BRUNSWICK N. J.	RUTLAND N. DAK.	LITTLESTOWN PA.	SAN LUIS OBISPO Calif.
606	607	608	609	610
WEST PALM BEACH FLA.	HEMET GALIF.	RIVESVILLE W. M.	INDIO Calif.	LYNDON ILL.
611	612	613	620	621
SMITHTON ILL.	KATH KAYEN CONN.	SARATOGA SPRINGS N. Y.	COLUNSIA CROSS ROADS P.A.	
622	623	624	625	
SPRAGUE NEBR.	CLERMONT FLA.	LOS XOLINOS CALIF.	EAST NORTHFELD MASS.	NOUNT PIEASANT MILLS P.A.
631	632	633	634	635

- 601 Like 602, but spaced letters in town.
- 602 Bold 2.5 mm block caps.
- 603 Town like 602, but letters spaced; state like 608.
- 604 Town like 602; state like 608.
- 605 Town like 608; state like 602.
- 606 Town like 610; state like 602.
- 607 Town in ultra-condensed 2.7 mm block caps; state like 602.
- 608 Condensed 3 mm block caps.
- 609 Town like 610; state like 608.
- 610 Extra-condensed 3 mm block caps.
- 611 Town like 607; state like 608.
- 612 Town like 602; state like 610.
- 613 Town like 608; state like 610.
- 620 Like 621, but spaced letters in town.
- 621 Town in bold 2.5 mm block caps;
 - state in light-faced slightly serifed 2.5 mm caps.
- 622 Town in condensed 3 mm block caps; state in light-faced slightly serifed 2.5 mm caps.
- 623 Town in extra-condensed 3 mm block caps; state in light-faced slightly serifed 2.5 mm caps.
- 624 Town in ultra-condensed 3 mm block caps; state in light-faced slightly serifed 2.5 mm caps.
- 625 Like 622, but arranged in three lines.
- 631 Like 621, but thin double bars, innermost of which are 11 mm apart.
- 632 Like 622, but thin double bars, innermost of which are 11 mm apart.
- 633 Like 623, but thin double bars, innermost of which are 11 mm apart.
- 634 Like 624, but thin double bars, innermost of which are 11 mm apart.
- 635 Like 624, but thin double bars, innermost of which are 11 mm apart, arranged in three lines.
- Note 1: These are rubber handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.
- Note 2: These styles all have 1 mm thick BARS which measure 13 mm apart, except as noted. The state name is either spelled out in full (Idaho, Iowa, Maine, Ohio, Utah), or abbreviated, usually with but sometimes without, punctuation. Letter dimensions refer to letter height.

Note 3: These styles are in 25 subject (5 x 5) configuration.

Wide Hand Electros With Lines

JASPER ALA.	Scipio Ind.	GLENDALE Calif.	SOLANA BEACH Calif.	BOOTHBAY Harbor, Maine
701	702	703	704	704.5
WILTON JUNC- TION, IOWA	BATTLE Mountain Nev.	WASHINGTON DEPOT CONH.	COIN IOWA	LEAD S. DAK.
705	706	707	708	709
REFORM ALA.	DURHAM KANS.	BISBEE Ariz.	TOWNSHEND YT.	EAST PEPPER- ELL, MASS
710	711	712	713	714
MILO MO.	FOLEY ALA.	COLTON S. DAK.	AKRON IND.	KINMUNDY ILL.
715	716	716.3	716.5	717
KILLDUFF Iowa	NAMPTON BAYS N. Y.	MIDLOTHIAN ILL	STILLMAN VALLEY, ILL.	NEWMARKET MINN.
718	718.5	719	719.5	720
HOLYO ke Colo.	CONTINENTAL Ohio	BRUNDIDGE Ala	GOREVILLE ILL	UNIVERSITY Park, Iowa
721	722	723	724	725
CAMBRIDGE CITY IND.	SAINT MARY-OF- The-Woods, Ind.			
726	727			

Style Descriptions

701	Serifed 2.5 mm caps; 1 mm between town and state.
702	Like 701, but caps and lower-case.
703	Narrow 2.5 mm block caps; 1 mm between town and state.
704	Condensed 2.5 mm block caps; 1 mm between town and state.
704.5	Like 705, but first line spaced.
705	Condensed 2.5 mm block caps; 1 mm between town and state;
	town carried over to second line.
706	Like 703, but arranged in three lines.
707	Like 704, but arranged in three lines.
708	Serifed 2.5 mm caps; 1.8 mm between town & state.
709	Like 708, but letters in state more condensed.
710	Like 708, but letters in town more condensed.
711	Like 708, but letters in both town and state more condensed.
712	Like 703, but 1.8 mm between town and state.
713	Like 704, but 1.8 mm between town and state.
714	Like 705, but 1.8 mm between lines of print.
715	Like 716, but spaced letters in town.
716	Serifed 2.8 mm caps; 2.1 mm between town and state.
716.3	Serifed 2.3 mm caps; 2.8 mm between town and state.
716.5	Serifed 2.5 mm caps; 2.5 mm between town and state.
717	Bold 2.5 mm block caps; 2.5 mm between town and state.
718	Town like 717; state like 719.
718.5	Town like 719; state like 717.
719	Condensed 2.5 mm block caps; 2.5 mm between town and state.
719.5	Like 719, but town carried over onto second line.
720	2 mm block caps; 3 mm between town and state.
721	Condensed 3 mm block caps; 1.8 mm between town and state.
722	Town like 723; state like 721.
723	Extra-condensed 3 mm block caps; 1.8 mm betw. town and state.
724	Town like 721; state like 723.
725	Like 723, but town carried over onto second line.
726	Ultra-condensed 2.5 mm block caps; 2.5 mm betw. town and state.
727	Like 726, but town carried over onto second line.
Note 1:	These are metal devices and are not generally subject to age degradation as
	are the rubber devices. However dimensional variation due to the strength
N	of the impression and the inking quality may occur.
Note 2:	
	apart. The state name is either spelled out in full (Alaska, Hawaii, Idaho, lowa, Maine, Ohio, Utah), or abbreviated with punctuation. Letter
	Iowa, Maine, Ohio, Utah), or abbreviated with punctuation. Letter

Note 3: Styles 701, 703 & 704 are in either 25 subject (5 x 5) or 10 subject (2 x 5) configuration. Styles 705, 708, 712, 713 & 714 are in 25 subject (5 x 5) configuration. All other styles on this page are in 10 subject (2 x 5) configuration.

dimensions refer to letter height.

Narrow Hand Electros With Lines

OXFORD	ARMA	ELBERTA	PROSPECT	THORSBY,
FLA.	KANS,	ALA.	PARK, PA.	ALA.
728	728.5	729	730	731
POTH	SOUTH FORK	ALEXANDRIA	ZELIENOPLE,	HOWEY IN THE
TEL	PA.	ALA.	PA.	HILLS, FLA.
732	733	734	735	736
West Brawnsville	Hot Springs	HAMLET	OROHOBO	MOLALLA
FA	National Park, Ark.	N. C.	MO.	OREG.
737	738	739	740	741
KIT CARSON	CATALDO	FLORENCE	SAINT IGNATIUS	ANTONITO
COLO.	Idaho	MINN.	MONT.	COLO.
742	743	744	744.5	745
MCCAHEYS-	ANTELOPE,	FOREST PARK	WEST SIMS-	DOVE CREEK,
VILLE, VA.	Kans.	6A.	Bury, Conn.	COLO.
746	747	748	749	750

Style Descriptions

- 728 Wide serifed 2.5 mm caps.
- 728.5 Town like 728; state more condensed.
- 729 Narrow 2.5 mm block caps.
- 730 Like 729, but town carried over onto second line.
- 731 Like 729, but comma after town.
- 732 Town like 729; state like 734.
- 733 Town like 734; state like 729.
- 734 Condensed 2.5 mm block caps.
- 735 Like 734, but comma after town.
- 736 Condensed 2.5 mm block caps; town carried over onto second line.
- 737 Like 734, but town in caps and lower-case.
- 738 Like 736, but both town and state in caps and lower-case.
- 739 Town like 728; state like 743.
- 740 Town like 743; state like 728.
- 741 Town like 743; state like 734.
- 742 Town like 734; state like 743.
- 743 Bold 2.5 mm block caps.
- 744 Town like 743; state in 2 mm block caps.
- 744.5 Town like 734; state in 2 mm block caps.
- 745 Narrow 2.5 mm block caps between hair-lines.
- 746 Like 745, but town carried over onto second line.
- 747 Like 745, but comma after town.
- 748 Condensed 2.5 mm block caps between hair-lines.
- 749 Like 748, but town carried over onto second line.
- 750 Like 748, but comma after town.
- Note 1: These are metal devices and are not generally subject to age degradation as are the rubber devices. However dimensional variation due to the strength of the impression and the inking quality may occur.
- Note 2: These styles all have 1/2 to 3/4 mm thick LINES which measure 8 to 9 mm apart, except as noted. The state name are either spelled out in full (Alaska, Hawaii, Idaho, Iowa, Maine, Ohio, Utah), or abbreviated with punctuation. Letter dimensions refer to letter height.

Note 3: These styles are in 10 subject (2 x 5) configuration.

D E S T I N, FLA. 801 RED FEATHER LAKES. COLO. 805 Yosemite National Park, Calif. 810	<u>Ку.</u> 806	N. Y. 802.5	M U L I N O. OREG. 803 PLEASURE RIDGE PARK, KY. 808	BRONWOOD, GA. 804 Picesant Valley, Iowa 809
WABASH IND. 811 INDIAN ROCKS BEACH, FIA 816	TIMNATH Colo. 812	POLLOCH PINES GALIF. 813	PALOS VERDES PENINSULA,CALIF. 814	LOS ALAMITOS CALF. 815
W A R D	K E N T	UNADILLA	PULLMAN	NEEDLES
P A .	Conn.	GA.	WASH.	CALIF.
817	818	819	820	821
ROSE HILL	Mi-Wuk Village	PHOENIXVILLE	SILVER SPRINGS	Belvedere-Tiburon
N. C. 284	Calif.	P A .	FLA.	Calif.
822	823	824	825	826

Style Descriptions

Styles 801-810 have a comma after town. Line spacing is 8 to 9 mm.

- 801 Like 802, but spaced letters in town.
- 802 3 mm block caps.
- 802.5 Like 802, but town in caps and lower-case.
- 803 Like 804, but spaced letters in town.
- 804 2.5 mm block caps.
- 805 Like 804, but town carried over onto second line.
- 806 Like 804, but town and state in caps and lower-case.
- 807 2 mm block caps.
- 808 Like 807, but town carried over onto second line.
- 809 Like 807, but town and state in caps and lower-case.
- 810 Like 807, but town and state in caps and lower-case; town carried over onto second line.

Styles 811-816 do not have a comma after town. Line spacing is 7 to 8 mm.

- 811 Bold serifed 2.7 mm caps.
- 812 Like 802, but letters slightly condensed.
- 813 Condensed 2.5 mm block caps.
- 814 Like 813, but town carried over onto second line.
- 815 Ultra condensed 3 mm block caps.
- 816 Like 815, but town carried over onto second line.

Styles 817-826 do not have a comma after town. Line spacing is 8 to 9 mm.

- 817 Like 819, but town and state spaced.
- 818 Like 819, but town spaced.
- 819 3 mm block caps.
- 820 Like 821, but town spaced.
- 821 2.5 mm block caps.
- 822 Like 821, but partial ZIP number follows state.
- 823 Like 821, but caps and lower case.
- 824 Like 825, but spaced letters in state.
- 825 2 mm block caps.
- 826 Like 825, but caps and lower-case.
- Note 1: These are vinyl handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.
- Note 2: These styles all have 1/2 to 3/4 mm thick LINES. The state name is either spelled out in full, (Alaska, Hawaii, Idaho, Iowa, Maine, Ohio, Utah), or abbreviated with punctuation. Letter dimensions refer to letter height.
- Note 3: These styles are in 10 subject (2 x 5) configuration.

MILTON,	MOBILE,	WISNER, NB	STUART,	Jeromesville,
KS	AL	68791	FL	OH
827	828	829	830	831
GEORGETOWN, FL 832	Alexander City, AL 833			
ТОК	GLOBE	SALIDA	BATH	FOLEY
АК	AZ	CO	NC	AL
834	834.5	835	835.5	836
A J 0	LAPWAI	JASPER	Blue Bell	B E L L
AZ	1 D	AL	PA	CA
837	838	839	839.5	840
SANTA ROSA	OTTAWA	Mount Hope	ldyllwild	Scotch Grove
CA	IL	AL	CA	IA
840.5 Eglin AF Base FL	841 West Mansfield	841.5 Newport News Va	842 Brevig Mission AK	842.5 STEAMBOAT ROCK
843 SACRAMENTO CA	843.5 SOUTH SAN FRANCISCO, CA	844	845	845.5
846	847	•		

Style Descriptions

Styles 827-833 have a comma after town. Line spacing is 8 to 9 mm.

- 827 Wide 2.7 mm block caps.
- 828 2.5 mm block caps.
- 829 Like 828, but state on top line and ZIP number only on second line.
- 830 Town like 828; state like 832.
- 831 Like 828, but town in caps and lower-case.
- 832 2 mm block caps.
- 833 Like 832, but town in caps and lower-case.

Styles 834-847 have no punctuation except as noted. Line spacing 8-9 mm.

- 834 Wide 2.7 mm block caps with town spaced.
- 834.5 Town like 834; state like 841.
- 835
 Wide 2.7 mm block caps see inset.
 835
 852

GKJ GKJ

- 835.5 Town like 835; state like 841.
- 836 Like 839, but town and state spaced.
- 837 Like 839, but town spaced.
- 838 Like 839, but state spaced.
- 839 3 mm block caps.
- 839.5 Like 839, but town in caps and lower-case.
- Like 841, but town spaced.
- 840.5 Town like 841; state like 835.
- 841 2.5 mm block caps.
- 841.5 Town like 842; state like 841.
- 842 Wide 2.7 mm block caps; town in caps and lower-case.
- 842.5 Town like 843; state like 842.
- 843 2.5 mm block caps; town in caps and lower-case.
- 843.5 Town like 843; state like 846.
- Like 843, but both town and state in caps and lower-case.
- 845 Town like 846; state like 841.
- 845.5 Town like 846; state like 835.
- 846 2 mm block caps.
- 847 Like 846, but town carried over onto second line; comma after town.
- Note 1: These are vinyl handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.
- Note 2: These styles all have 1/2 to 3/4 mm thick LINES. The state is abbreviated in two letters without punctuation. Letter dimensions refer to letter height.
- Note 3: These styles are in 10 subject (2 x 5) configuration.

Wadmalaw Island	Johnston City IL	Continental Divide	Columbus Junc- tion, IA	Cottonwood Fails Ks
847.5	848	848.5	849	850
GARLAND TX 75040	EAGLE	B R O O K T O N ME	RICHLANOS NC	D I A M O N D Springs, ca
851	852	852.5	853	853.3
LOOKOUT MQUNTAIN, TH	Port Saint Jos FL	Truth Or Consequences, NM	FAIRFIELD, CA Travis AFB Sta.	White Sulphur Spring: WV
853.5	854	855	855.5	856
Winchendon Springs MA	SANJUAN BAUTISTA CA	Washington Crossing PA	ERNUL	CROWDER MS
857	858	859	861	862
Chignik Lagoon AK	WASHINGTON GROVE, MD			
865	867	-		

Style Descriptions

Styles 847-867 have no punctuation except as noted. Line spacing is 8 to 9 mm.

- 847.5 Town like 848; state in 2.7 mm block caps.
- 848 2 mm block caps; town in caps and lower-case.
- 848.5 Town like 848; state in 2.5 mm block caps.
- 849 Like 848, but town carried over onto second line; comma after town.
- 850 Like 848, but both town and state in caps and lower-case.
- 851 3 mm block caps; ZIP code follows state.
- 852 Wide 2.7 mm block caps; bolder letters than 835 - see inset near style description for 835.
- 852.5 Like 853, but town spaced.
- 853 Condensed 2.5 mm block caps.
- 853.3 Like 853.5, but first line spaced.
- 853.5 Condensed 2.5 mm block caps; town carried over onto second line; comma after town.
- 854 Condensed 2.5 mm block caps; town in caps and lower-case.
- Like 854, but town carried over onto second line; comma after town.
- 855.5 Like 853, but town and state on first line, separated by comma. Other information on second line in caps and lower-case.
- 856 Town like 857; state in 2.5 mm block caps.
- 857 1.4 mm block caps; town in caps and lower-case.
- 858 Town in 1.4 mm block caps; state in 2 mm block caps.
- 859 Town like 857; state like 858.
- 861 Town in Elite Roman typewriter caps; state in 2.5 mm block caps.
- 862 Town in 2.7 mm block caps; state in Elite Roman typewriter caps.
- 865 Town in wide 2 mm block caps and lower-case; state in 2.5 mm block caps.
- 867 2.5 mm block caps; town carried over onto second line; comma after town.
- Note 1: These are vinyl handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.
- Note 2: These styles all have 1/2 to 3/4 mm thick LINES. The state is abbreviated in two letters without punctuation. Letter dimensions refer to letter height.
- Note 3: These styles are in 10 subject (2 x 5) configuration.

HOPE	WEED CA	HINKLEY CA	ULYSSES KS	OGDEN KS
870	871	872	875	877
MarLin PA 879	DRIVER AR 880	ARTOIS CA 881	GREELEY CO 882	NIAGARA FALLS, NY 883
SASABE AZ	SPEARMAN TX	ASHLAND KS	PORT NECHES	San Sebastian PR
884	886	890	892	893
Y O R K PA 894	SUN CITY AZ 895	Lucerne CA 896		
MARBLE FALLS	SOMONAUK			
AR 901				
LONDON AR	KELSEYVILLE CA	OCEAN BEACH CA 92107	UMPOLIA OR 97496	
903	904	905	906	

Style Descriptions

Styles 870-896 have no punctuation. Line spacing is 8 to 9 mm.

- 870 Like 872, but both town and state spaced.
- 871 Like 872, but town spaced.
- 872 Wide 2.5 mm serifed caps.
- 875 Like 877, but town and state spaced.
- 877 Wide 2 mm serifed caps.
- 879 Like 877, but town in caps and lower-case.
- 880 Like 882, but town and state spaced.
- 881 Like 882, but town spaced.
- 882 Narrow 2.5 mm serifed caps.
- Like 882, but town carried over onto second line; comma after town.
- 884 3 mm broad serifed caps.
- 886 Town in wide 2 mm block caps; state in 2 mm normal caps.
- 890 Thick wide 2.5 mm block caps.
- 892 Thick 2.5 mm block caps.
- 893 Like 892, but town in caps and lower-case.
- 894 Wide 3 mm block caps; town spaced.
- 895 2.5 mm block caps of varying widths, depending on length of town name; letter "I" with serifs.
 896 Like 895, but town in caps and lower-case.

Styles 901-902 have no punctuation. Line spacing is 8.5 to 9 mm.

- 901 2.3 mm block caps of varying widths depending on length of town name.
- 902 2.3 mm ultra-condensed block caps.

Styles 903-906 have no punctuation. Line spacing is 9 to 9.5 mm.

- 903 2.8 mm block caps.
- 904 2.8 mm block caps of varying widths depending on length of town name.
- 905 Like 904, with Zip code.
- 906 Like 904, town and state on first line, ZIP code on second line.
- Note 1: These are vinyl handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.
- Note 2: These styles all have 1/2 to 3/4 mm thick LINES. The state is abbreviated in two letters without punctuation. Letter dimensions refer to the letter height.

Note 3: These styles are in 10 subject (2 X 5) configuration.